



TITLE:

Vol.5 表紙・総目次・Record of Works for 1954

AUTHOR(S):

CITATION:

Vol.5 表紙・総目次・Record of Works for 1954. PUBLICATIONS OF THE SETO MARINE BIOLOGICAL LABORATORY 1956, 5(3)

ISSUE DATE:

1956-12-20

URL:


<http://hdl.handle.net/2433/174562>

RIGHT:

KYOTO UNIVERSITY

PUBLICATIONS OF THE SETO MARINE BIOLOGICAL LABORATORY

Volume V



SIRAHAMA, WAKAYAMA-KEN, JAPAN

PUBLISHED BY THE LABORATORY

1955-1956

CORRIGENDA

VOL. V, No. 1

- Page 2 of cover. Line 14. For *Callyonimus* read *Callionymus*.
Page 3. Line 1 from bottom. For *Snelius* read *Snellius*.
Page 18. Line 4. For 11 read 10. In succeeding pages also, reduce one from each item number.

VOL. V, No. 2

- Page 2 of cover. Line 5 from bottom. Omit the article number 19.
Page 273. Line 3 of foot-note from bottom. For 23 read 25.
Page 283. Line 5 of foot-note from bottom. For 24 read 26.

VOL. V, No. 3

- Page 2 of cover. Line 12. For 34 read 24.
Page 312. Line 2 of Fig. 5's legend. For *vitw* read *view*.
Page 324. Line 1. For *borber* read *border*.
Page 353. Table 4, Fourth column, Line 2, Section 1. For *in the sand* read *on the sand*.
Page 353. Table 4, Fourth column, Line 3, For *ccses* read *cases*.
Page 355. Table 6, Fourth column, Line 4. For 2694 read 2697.
Page 375. Line 10 from bottom. For 23 (right) read 24.
Page 377. Line 11 from bottom. For *pulmulosus* read *plumulosus*.
Page 392. Line 2 of Fig. 15's legend. For *aspet* read *aspect*.
Page 393. Line 3 of Fig. 16's legend. For *gehital* read *genital*.
Page 395. Line 1 of Fig. 17's legend. For *now* read *nov*.
Page 398. Line 2 of Fig. 19's legend. For *asymmdtrica* read *asymmetrical*.
Page 405. Line 14 from bottom. For *eighe* read *eight*.

CONTENTS

No. 1 (December 20, 1955)

1. **Utinomi, H.:** Report on the Pycnogonida collected by the Sôyô-maru expedition made on the continental shelf bordering Japan during the years 1926-1930. 1
2. **Tokioka, T.:** Ascidians from the Palao Islands. II. 43
3. **Tokioka, T.:** On some plankton animals collected by the Syunkotu-maru in May-June 1954. IV. Thecosomatous pteropods. 59
4. **Tokioka, T.:** Droplets from the plankton net. XVII. A small collection of chaetognaths and pelagic tunicates from the North Eastern part of the Indian Ocean. XVIII. Short notes on a few appendicularians collected in the "Kurosio" off Siono-misaki. 75
5. **Sawada, K.:** Marine insects of the Tokara Islands. VIII. Family Staphylinidae (Coleoptera). 81
6. **Kawai, D. K.:** Carbonic anhydrase in pearl oyster. II. Changes of the enzyme activity in relation to growth and seasons. 89
7. **Ochiai, A., Araga, Ch. and M. Nakajima:** A revision of dragonets referable to the genus *Callionymus* found in the waters of Japan. 95

No. 2 (June 30, 1956)

8. **Yamanouchi, T.:** The visual acuity of the coral fish *Microcanthus strigatus* (Cuvier & Valenciennes). 133
9. **Yamazi, I.:** Plankton investigation in inlet waters along the coast of Japan. XIX. Regional characteristics and classification of inlet waters based on the plankton communities. 157
10. **Tokioka, T.:** On chaetognaths and appendicularians collected in the central part of the Indian Ocean. 197
11. **Tokioka, T.:** On chaetognaths and appendicularians collected by Mr. Z. Sagara in the Arafura Sea in May-August 1955. 203
12. **Baba, K., Hamatani, I. and K. Hisai:** Observations on the spawning habits of some of the Japanese Opisthobranchia (II). 209

13. Utinomi, H.: On some alcyonarians from the West-Pacific islands (Palau, Ponape and Bonins).	221
14. Utinomi, H.: On the so-called "Umi-utiwa," a peculiar flabellate gorgonacean, with notes on a syllidean polychaete commensal.	243
15. Tanaka, O.: The pelagic copepods of the Izu region, middle Japan. Systematic account. I. Families Calanidae and Eucalanidae.	251
16. Kuwano, Y.: Invertebrate fauna of the intertidal zone of the Tokara Islands. XII. Foraminifera.	273
17. Ogata, E.: Noteworthy algae from Takarazima Island.	283
18. Umezaki, I.: On a collection of <i>Gardnerula corymbosa</i> (Harvey) J. de Toni.	291

No. 3 (December 20, 1956)

19. Miyake, S.: Invertebrate fauna of the intertidal zone of the Tokara Islands. XIII. Anomura.	303
20. Utinomi, H.: Invertebrate fauna of the intertidal zone of the Tokara Islands. XIV. Stony corals and hydrocorals.	339
21. Yamanouchi, T.: The daily activity rhythms of the holothurians in the coral reef of Palao Islands.	347
22. Yaginuma, T.: A new species of marine spider <i>Desis</i> from Japan.	363
23. Tanaka, O.: The pelagic copepods of the Izu region, middle Japan. Systematic account. II. Families Paracalanidae and Pseudocalanidae.	367
24. Umezaki, I.: Marine Cyanophyceae of Amami-Oshima Island.	407

Record of Works done at the Seto Marine Biological Laboratory (for 1954).	297
---------------------------------------------------------------------------------------	-----

RECORD OF WORKS

DONE AT THE SETO MARINE BIOLOGICAL LABORATORY

1954 (昭和29年)

Contribution
No. (Jap. No.)

- ARAKI, Choji & ARAI, Kiyoshi: Studies on agar-digesting bacteria. The isolation of agar-digesting bacteria and their enzymatic activities. *Mem. Fac. Ind. Arts, Kyoto Techn. Univ., Sci. and Techn.*, 3B, pp. 7-23.
- BABA, Kikutarô (馬場菊太郎): *Runcina setoensis*, a new and rare species from the coast of Kii, middle Japan (Opisthobranchia). *Publ. Seto Mar. Biol. Lab.*, 3 (3), pp. 373-374.228
- : 日本産クロスジアメフラシ亜属3種について [Notes on the species of the genus *Notarchus* (subg. *Stylocheilus*) from Japan (Opisthobranchia)]. 動物雑 [Zool. Mag.], 63 (5), pp. 218-231. (With English rés.)
- FUSE, Shinichiro, MIURA, Taizo & OKUNO, Ryonosuke [布施慎一郎・三浦泰蔵・奥野良之助]: マスアミによる漁獲物の終日変化 [Daily change of catches by means of "Masuami"]. *Ibid.*, 63 (11/12), p. 493.
- HABE, Tadashige [波部忠重]: 日本の海産貝類の分布について [On the distribution of marine Molluscan shells in Japan]. *Ibid.*, 63 (3/4), p. 108.
- : 内湾の貝類分布 [On the ecological distribution of Molluscan shells in inner bays]. *Ibid.*, 63 (11/12), pp. 483-484.
- : 貝類とその生活 [*Molluscan shells and their life*]. 82 pp., 1 pl. 恒星社 [Kôseisya], Tokyo.
- : Report on the Mollusca chiefly collected by the S. S. Sôyô-maru of the Imperial Fisheries Experimental Station on the continental shelf bordering Japan during the years 1922-1930. Part 1. Cephalaspidea. *Publ. Seto Mar. Biol. Lab.*, 3 (3), pp. 301-318, pl. 38.223
- HANEDA, Yata & TOKIOKA, Takasi: Droplets from the plankton net, XV. Record of a caudate form of *Pegea confoederata* from the Japanese waters, with some notes on its luminescence. *Ibid.*, 3 (3), pp. 369-371.227
- IWATA, Fumio: Some nemerteans from the coasts of the Kii Peninsula. *Ibid.*, 4 (1), pp. 33-42.236
- KAWAGUTI, Siro [川口四郎]: ヨツアナカシパンの緑色色素 [Green pigments of a cake urchin, *Peronella japonica* Mortensen]. 動物雑 [Zool. Mag.], 63 (3/4), p. 138.
- : 造礁珊瑚の骨骼のアミノ酸 [Amino acid of the skeleton of a reef coral]. *Ibid.*, 63 (11/12), p. 451.

- KAWAGUTI, Siro & YAMASU, Teruhumi: Pigment cells in the perivisceral fluid of the Echinoidea. *Biol. Journ. Okayama Univ.*, 1 (4), pp. 249-260, pls. 1-2.231
- & SAKAMOTO, Daigoro: Pigment of skeleton of a reef coral, *Oulastrea crispata*. *Ibid.*, 1 (4), pp. 265-270.232
- KURODA, Tokubei & HABE, Tadashige [黒田徳米・波部忠重]: On some Japanese Mollusca described by A. Adams, whose specimens are deposited in the Redpath Museum of Canada (No. 1). 貝類雑 [Venus: Jap. J. Malac.], 18 (1), pp. 1-16, pls. 1-2.233
- & —————: New aquatic gastropods from Japan (日本産水棲新巻貝). *Ibid.*, 18 (2), pp. 71-79, (With Japanese rés.)247
- & —————: Notes on three remarkable species of Japanese gastropods (珍奇なる日本産腹足類3種について). *Ibid.*, 18 (2), pp. 79-84. (With Japanese rés.)248
- & —————: New genera of Japanese marine gastropods (日本産海産腹足類の新属). *Ibid.*, 18 (2), pp. 84-97.249
- MIYADI, Denzaburo [宮地伝三郎]: 動物生態学 [Zoological ecology]. 動物雑 [Zool. Mag.], 63 (8/9), pp. 348-352.
- & HABE, Tadashige: Biological successions in disharmonic bays and lagoons, and their improvement for fisheries purposes. *Proc. Seventh Pacific Sci. Congress*, 4, pp. 477-479.
- , KURODA, T. & HABE, T.: 日本近海の生物地理区について [On marine biogeographical areas of Japanese coast], 生物科学 [Biol. Sci.], 5 (4), pp. 145-148.
- , YAMAZI, I. & FUSE, Sh.: 美保湾・中海の海況と生物群集, 2 [Oceanographical conditions and biotic communities of Miho Bay and Nakano-umi, 2]. 京都大学生理生態学研究業績 [Contr. to Physiol. and Ecol., Kyoto Univ.], No. 78, pp. 1-18, pls. 1-25.(Jap. 81)
- MORI, Syuiti & ONDO, Yoshinori [森 主一・恩藤芳典]: ウミシヤボテンの日週期活動の光による制御 [Control of daily rhythmic activities of *Cavernularia obesa* Val. by light]. 動物雑 [Zool. Mag.], 63 (11/12), p. 499.
- OHGUSHI, Ryuichi [大串龍一]: 笠貝の帰家習性について [On the homing habit of limpets]. *Ibid.*, 63 (3/4), pp. 96-97.
- : 潮間帯にすむ笠貝の習性, I. 2種の笠貝の活動と潮汐との関係 [Ethological studies on the intertidal limpets, I. On the tidal rhythmic activities of two species of limpets]. 日生態会誌 [Jap. J. Ecol.], 4 (3), pp. 120-122. (With English rés.)(Jap. 83)
- & MIURA, T.: 笠貝の帰家行動について [On the homing behavior of limpets]. 南紀生物 [Nanki Seibutsu], 5 (1), pp. 21-24, 30. ... (Jap. 82)
- ONDO, Y. & MORI, S.: フナムシ *Ligia exotica* の日週期活動, I. 野外でみられた移動群の行動を中心にみた週期活動 [Daily rhythmic activity of *Ligia*

- exotica* Roux, I. Periodic behavior of migratory group under natural conditions]. 動物雑 [Zool. Mag.], 63 (11/12), p. 499.
- ÔYAMA, Katura, YAMAMOTO, Torao & TOKIOKA, Takasi: Invertebrate fauna of the intertidal zone of the Tokara Islands, VIII. Molluscan shells. *Publ. Seto Mar. Biol. Lab.*, 4 (1), pp. 1-15.234
- SHIINO, Sueo M.: Copepods parasitic on Japanese fishes, 3. On two new species of the genus *Anuretes*. *Rep. Fac. Fish., Pref. Univ. Mie*, 1 (3), pp. 260-272.
- _____ : Ditto, 6. Two species of the family Cecropidae. *Ibid.*, 1 (3), pp. 333-345.
- _____ : On a new copepod, *Caligus caltomi* n. sp., parasitic on the fish, *Caltomus japonicus* (C. & V.). *Bull. Jap. Soc. Sci. Fish.*, 20 (1), pp. 16-20.
- TAKEDA, Nobuyuki [武田信之]: 海産橈脚類 *Tigriopus japonicus* Mori における温度適応 [Thermal adaptation in the marine copepod, *Tigriopus japonicus* Mori]. 生理生態 [Physiol. & Ecol.], 6 (1), pp. 49-54. (With English rés.)(Jap. 84)
- TOKIOKA, Takasi [時岡 隆]: トカラ列島調査資料: 海産無脊椎動物俗名語彙 [Glossary of local names of marine invertebrate animals in the Tokara Islands]. 南紀生物 [Nanki Seibutsu], 5 (1), pp. 5-15.
- _____ : Invertebrate fauna of the intertidal zone of the Tokara Islands, VII. Ascidians (Contributions to Japanese Ascidian fauna, VII). *Publ. Seto Mar. Biol. Lab.*, 3 (3), pp. 239-264, pls. 18-37.222
- _____ : Droplets from the plankton net, XIII. Emergence of a dense patch of chaetognaths near the Laboratory, XIV. Record of a scyllarid *Phyllosoma* near Seto. *Ibid.*, 3 (3), pp. 359-368, pls. 41-43.226
- _____ : Contributions to Japanese Ascidian fauna, VIII. Sporadic memorandum (1). *Ibid.*, 4 (1), pp. 67-68, pl. 3.239
- _____ : Ditto, IX. Re-description of Oka's species found in "Figuraro de Japanaj Bestoj." *Ibid.*, 4 (1), pp. 69-74, pl. 4.240
- _____ : Ditto, X. Notes on some ascidians collected in Osaka Bay (2). *Ibid.*, 4 (1), pp. 75-98, pls. 5-8.241
- _____ : Droplets from the plankton net, XVI. On a small collection of chaetognaths from the central Pacific. *Ibid.*, 4 (1), pp. 99-102.242
- _____ : Descriptions of the aggregated form of *Brooksia rost-rata* (Traustedt), an insufficiently known salpa. *Ibid.*, 4 (1), pp. 147-153, pls. 9-10.246
- _____ : プラクトン [Plankton]. 動物雑 [Zool. Mag.] 63 (8/9), pp. 325-326.
- _____ : ムラサキウニ [*Anthocidaris crassispina* (A. Agassiz)]. 生物学実験法講座 [Series of Techniques in biological Researches], 5 (A₁), pp. 1-18, pls. 1-14. 中山書店 [Nakayama Syoten], Tokyo.

- TSUKUDA, Hiroko & OHSAWA, Wataru [佃 弘子・大沢 済]: 塩類にたいするタマキビの反応 [Response of the periwinkle to salts]. 動物雑 [Zool. Mag.], 63 (11/12), p. 498.
- UMEZAKI, Isamu [梅崎 勇]: 日本海産藍藻類 (10) [Marine Cyanophyceae from Japan (10)]. 植研雑 [Journ. Jap. Bot.], 29 (6), pp. 172-176.
- UTINOMI, Huzio [内海富士夫]: The fauna of Akkeshi Bay, XIX. Littoral Pycnogonida. *Publ. Akkeshi Mar. Biol. Sta.*, No. 3, pp. 1-28, pl. 1.221
- : *Dendronephthya* of Japan, II. New species and new records of *Dendronephthya* and the allied *Stereonephthya* from Kii region. *Publ. Seto Mar. Biol. Lab.*, 3 (3), pp. 319-338, pls. 39-40.224
- : A check list of echinoids found in the Kii region. *Ibid.*, 3 (3), pp. 339-358.225
- : Invertebrate fauna of the intertidal zone of the Tokara Islands, IX. Cirripedia. *Ibid.*, 4 (1), pp. 17-26.235
- : Some Alcyoniid octocorals from Kii coast, middle Japan. *Ibid.*, 4 (1), pp. 43-55, pl. 1.237
- : Some Nephtheid octocorals from Kii coast, middle Japan. *Ibid.*, 4 (1), pp. 57-66, pl. 2.238
- : Coral-dwelling organisms as destructive agents of corals. *Proc. Seventh Pacific Sci. Congress*, 4, pp. 533-536.
- : On a small collection of Anthozoa from the Inan coast, Ehime Prefecture. *Mem. Ehime Univ., Sect. II (Sci.), Ser. B (Biol.)*, 2 (1), pp. 101-106.
- : 琉球列島における岩礁性フジツボ類の分布と隔離 [Distribution and isolation of rocky reef barnacles in the Ryukyu Islands]. 動物雑 [Zool. Mag.], 63 (11/12), p. 474.
- : 海産動物採集法 [Methods of collecting marine animals]. 生物学実験法講座 [Series of Techniques in biological researches], 2 (A), pp. 1-39. 中山書店 [Nakayama Syoten], Tokyo.
- YAMADA, Mayumi [山田真弓]: タカアシガニ附着の多毛環虫類 [Polychaetous annelids found on the giant crab, *Macrocheira kaempferi* (de Haan)]. 動物雑 [Zool. Mag.], 63 (11/12), p. 473.
- YAMAZI, Isamu [山路 勇]: 新大和堆附近のプランクトンについて [On the plankton collected near Sin Yamato Bank in the Sea of Japan]. *Ibid.*, 63 (3/4), p. 101.
- : Plankton investigation in inlet waters along the coast of Japan, XI. The plankton of Kozima Bay in the Seto Naikai (Inland Sea). *Publ. Seto Mar. Biol. Lab.*, 3 (3), pp. 399-421.229
- : Ditto, XII. The plankton of Miyako Bay on the eastern coast of Tôhoku district. *Ibid.*, 3 (3), pp. 423-441.230
- : Ditto, XIII. The plankton of Obama Bay on the Japan Sea coast. *Ibid.*, 4 (1), pp. 103-114.243

YAMAZI, Isamu: Ditto, XIV. The plankton of Turuga Bay on the Japan Sea coast. <i>Ibid.</i> , 4 (1), pp. 115-126.	244
-----: Ditto, XV. The plankton of Yosa-Naikai and Kumihama Bay, enclosed bays on the Japan Sea coast. <i>Ibid.</i> , 4 (1), pp. 127-145.	245

CORRIGENDA

in **RECORD OF WORKS** for 1953 (Publ. Seto Mar. Biol. Lab., vol. 4, no. 1,
pp. 155-158).

p. 156, line 20. Read 動物雜 [*Zool. Mag.*] for *Ibid.*